Maurice River Township Schedule of District Regulations PPHB Pinelands Planned Highway Business District

D	Minimum Size	Minimum Yard			Ma	Maximum Lot	
Permitted Uses Site plan review as per Section 35-13.1 is required of all new and expanded uses. See Notes at end of this schedule.	Area (Acres)	Width (Feet)	Front (Feet)	Side (Feet)	Rear (Feet)	Height (Feet)	Coverage (Percentage)
In any PPHB District the following uses are permitted by right: Principal uses: 1. Agricultural or horticultural use	.5 10	500 500	50 100	30 100	30 100	· 35	10 5
 Low intensity recreational activities Conditional uses permitted by Section 35-13.6 and allowed by the Land Use Board: Educational and cultural facility including museums and libraries and subject to the provisions of Section 35-8.10.1 regarding landscaping and design Neighborhood commercial center as per Section 35-8.10.1 and Section 35-9.12 Forestry as per Section 35-8.5 	5	500 (See Note	200 es #2, 4, 5	30 & 6)	30	35	15 15
 Wireless/local communication facilities as per Section 35-9.22 Accessory uses as per Section 35-8.1 permitted on the same lot with a principal or conditional use: Any structure or use incidental to a permitted principal or conditional use Signs as per Section 35-8.13 Off-street loading and parking spaces as per Section 35-8.7 & Section 35-8.8 Windmill, energy conservation devices and private or local wireless communications facilities 	(See Notes	#2, 4, 5 & 6) #2, 4 & 6)					Additional coverage allowed 0 0 2

NOTES:

- 1. If not shown on the schedule above or within the ordinance text, all minimum and maximum dimensions related to any use shall be determined by the Land Use Board.
- 2. The designation "N/A" when used with a specific use means "Not applicable" however, check ordinance text if cited for specific use.
- 3. The setbacks for any building shall be at least 200 feet from the centerline of a scenic corridor.
- 4. Notwithstanding the minimum lot areas set forth herein, no such minimum lot area for a non-residential use within the PPHB District shall be less than that needed to meet the water quality standards of Section 35-11.4.AC.2.d, whether or not the lot may be served by a centralized sewer treatment or collection system.
- 5. All permitted uses as listed in the above Schedule of District Regulations shall be subject to Article 35-10 of this chapter. (Added by Ord. No. 522 §2)

Schedule 4.1